

Internet Pool Group
Email sales@ipoolgroup.com
Phone 888-277-POOL
Fax 863-467-5750

OVAL

41 1100	0.0						
SOLD TO:				SHIP TO:			
ADDRESS:				ADDRESS:			
CITY/STATE:				CITY/STATE:			
ZIP CODE:				ZIP CODE:			
PH: FAX:						CONTACT:	_
DATE:	E-MAI	L:		TAG:		SHIP VIA:	
PATTERN VINYL COVERED: NO Show loca YES – view & inc.	sting on top	E 🗆 20 MI	ST/ RO RO SST/ RO OV	ANDARD ANDARD REVERSE UND THER WILLIAMS ERLAP	POOL PERIMETER	DIAGONAL RADIUS DIAGONAL RAD DISTANCE (INCHES) Tis mandatory for ALL pools	IUS
STANDIN S1 ft inN1	in the last state of the last	NDICATE PR	ft in	G inH	ft	DCATION	ft/
B	S						
		-		Q	→		

NOTE - IF SAFETY LEDGE PRESENT. PLEASE INCLUDE DETAIL IF NOT UNIFORM


Internet Pool Group
Email sales@ipoolgroup.com
Phone 888-277-POOL
Fax 863-467-5750


MEASURING FORM - PAGE 3 SHALLOW END COVED BOTTOM / NONSTANDARD BOTTOM PROFILES

Shallow End Coved Bottom

Fill out this section only if you have a Shallow End Coved Bottom

Use Section 2 as a Measuring Guide and enter your measurements on the diagram.





VINYL COVERED STEPS

If Steps are another shape than radius (ie square), please call or e-mail National Pool Wholesalers for an appropriate measuring sheet.

